Table of Contents

CHARGE-TRANSFER SALTS II

I. TMTSF and TMTTF Salts

Transfer integrals, anion-cation interaction and molecular vibrations in the organic salts $(RTCF)_2X$: structural and theoretical investigation B1
L. Ducasse and A. Fritsch

Chemistry of TTF. Easy synthesis of TTF and selective synthesis of unsymmetrically substituted TTFs B9
K. Lerstrup, I. Johannsen and M. Jorgensen

Crystal structure and electrical conductivity of $(TTF)_5Hg_6(SCN)_{16}$ B15
N. Thorup, M.A. Beno, C.S. Cariss, K.D. Carlson, U. Geiser, S. Kleinjan, L.C. Porter, H.H. Wang and J.M. Williams

Microwave conductivity and dielectric constant of $(TMTTF)_2X$, X=SCN, ReO_4, SbF_6 ..... B23
H.H.S. Javadi, R. Laversanne and A.J. Epstein

Calorimetric evidence for high magnetic field transitions in $(TMTSF)_2ClO_4$ B29
J.S. Brooks, N.A. Fortune, M.J. Graf, P.M. Chaikin, L.Y. Chiang and S.-Y. Hsu

Determination of SDW vector and amplitude by NMR and anisotropy by EPR in $(TMTTF)_2SbF_6$ and $(TMTSF)_2ClO_4$ B35
J.M. Delrieu, M. Roger, C. Coulon, R. Laversanne and E. Dupart

$(TMTSF)_2ClO_4$ in the extreme quantum limit B41
R.V. Chamberlin, M.J. Naughton, X. Yan, L.Y. Chiang, S.-Y. Hsu and P.M. Chaikin

The optical properties of $(TMTSF)_2ReO_4$ and $(TMTSF)_2BF_4$ through the metal-insulator transition, for $\vec{E} \parallel \vec{a}$ B49
C.C. Homes and J.E. Eldridge

Physical and structural properties of organomineral conductors: TTF radical cation salts with metal halides B57
G. Maceno, Ch. Garrigou-Lagrange, P. Delhaès, F. Bechtel, G. Bravic, J. Gaultier, M. Lequan and R.M. Lequan

An NMR analysis of magnetic correlations and dimensionality in organic conductors B65
F. Creuzet, C. Bourbonnais, P. Wzietek, H. Nelisse, L.G. Caron, D. Jérôme and K. Bechgaard

Investigation versus temperature of highly conducting compacted mixtures of insulating reactive solids B71
A. Brau, J.P. Farges and F. Ali-Sahraoui

High resolution NMR in $(TMTSF)_2X$ salts..... B77
P.C. Stein and P. Bernier

EPR analysis of antiferromagnetic critical effects in organic conductors B83
P. Baillargeon, C. Bourbonnais, S. Tomić, P. Vaca and C. Coulon

The negative magnetoresistance in salts of the $(DMtTSF)_2X$ series: first evidence of weak localization effects in organic conductors? B89
J.P. Ulmet, L. Bachere and N. Cheggour

Structural and electrical properties of some cation radical salts based on EDTTTF, PEDTTTF and similar π-donors B97
A. Terzis, A. Hountas, A.E. Underhill, A. Clark, B. Kaye, B. Hilti, C. Mayer, J. Pfeiffer, S.Y. Yiannopoulos, G. Mousdis and G.C. Papavassiliou

Cation-radical salts of the paramagnetic hexanuclear octahedral halide cluster $Nb_6Cl_{18}^{3-}$: preparation, crystal structure, transport and magnetic properties of $D_5(Nb_6Cl_{18})(CH_2Cl_2)_{0.5}$(D=TMTSF and TMTTF) and $(TTF)_2(Nb_6Cl_{18})(Et_4N)(CH_3CN)_{0.75}$ B103
A. Penicaud, P. Batail, S. Tomić, D. Jérôme and C. Coulon

Molecular cluster models for the analysis of the optical spectra of organic charge transfer crystals: properties and applications B109
R. Bozio, M. Meneghetti, D. Pedron and C. Pecile

Conducting organic composites: properties of molecular metals crystallized under diffusion-limited conditions B115
J.K. Jeszka, A. Tracz, M. Kryszewski and J. Ulański

Spin-Peierls and antiferromagnetic transition temperatures in $(TMTTF)_2PF_6$: EPR and NMR measurements and theory B123
L.G. Caron, F. Creuzet, P. Butaud, C. Bourbonnais, D. Jérôme and K. Bechgaard

Optical studies of the interplay between electron-lattice and electron-electron interactions in organic molecular conductors B129
R. Bozio, M. Meneghetti, D. Pedron and C. Pecile

Analysis of the pair breaking effect of the anion disorder $(TMTSF)_2ClO_4$ B137
F. Pesty, K. Wang and P. Garoche

On the SdH oscillations in $(TMTSF)_2ClO_4$ B145
X. Yan, M.J. Naughton, R.V. Chamberlin, L.Y. Chiang, S.Y. Hsu and P.M. Chaikin

Electrical properties, ^1H NMR and ESR of TTF- and TMTSF-copper complexes B151
M. Inoue, M.B. Inoue, C. Cruz-Vazquez, M. Mizuno, T. Asaji, L.S. Prabhumirashi and D. Nakamura

Pressure - temperature phase diagram of α'- $TTF[Pd(Dmit_2]_2$ B157
L. Brossard, H. Hurdequint, M. Ribault, L. Valade, J.P. Legros and P. Cassoux

A potpourri of magnetic field effects in $(TMTSF)_2ClO_4$ B163
P.M. Chaikin, M. Ya. Azbel, M.J. Naughton, R.V. Chamberlin, X. Yan, S. Hsu and L.Y. Chiang

II. TCNQ Salts

High resolution low field ESR spectrometer B175
D. Duret, M. Beranger, M. Moussavi, P. Turek and J.-J. André

Synthesis and structure of new anion radical salts from DCNQIs B181
S. Hünig, A. Aumüller, P. Erk, H. Meixner, J.U. von Schutz, H.-J. Gross, U. Langohr, H.-P. Werner, H.C. Wolf, Ch. Burschka, G. Klebe, K. Peters and H.G. von Schnering

Dynamical aspects of neutral-ionic phase transition in organic charge-transfer complex crystals B189
H. Okamoto, T. Komatsu, Y. Iwasa, T. Koda, Y. Tokura, S. Koshihara, T. Mitani and G. Saito

Strategic design of organic conductors. Preparation and characterization of electron-donor-acceptor complexes with prefixed stoichiometry B197
J.Y. Becker, J. Bernstein, S. Bittner and S. Shaik

Synthetic conductive materials. IV. Novel binuclear copper(II) complex as a donor to TCNQ B205
W.-J. Wang and J.-Y. Jeng

Electrocrystallization of low dimensional solids: directed selectivity and investigation of crystal growth with the quartz crystal microbalance B211
M.D. Ward

Synthetic conductive materials. V. Synthesis and characterization of charge-transfer complex of 3,6-bis(2'-pyridyl)-4,5-dihydro-1,2,4,5-tetrazine and 7,7,8,8-tetracyanoquinodimethane B219
W.-J. Wang and C.C. Chen

Physical studies of a new conducting charge transfer salt: tetraselenonaphthalene/tetrafluorotetracyanoquinodimethane(TseN-$TCNQF_4$) B225
M.T. Jones, R.D. Rataiczak, M. Singh, B.J. Feldman and D.J. Sandman

Novel charge-transfer salts based on the isoindol [1,2,3-de]quinolizinium: an aza-analog of fluoranthene B231
M. Fourmigue, K. Bechgaard, P. Auban, D. Jérôme, K. Boubekeur and P. Batail

Coexistence of a magnetic order and metallic conduction in an organic system, $(DMDCNQI)_2Cu$ B237
T. Mori, H. Inokuchi, A. Kobayashi, R. Kato and H. Kobayashi

Tricyanovinyl derivatives as acceptors B243
P.M. Allemand, P. Delhaès, Z.G. Soos, M. Nowak, K. Hinkelmann and F. Wudl

The conducting salts of N, N'-dicyanoquinonediimine (DCNQI)..... B249
J.U. von Schutz, M. Bair, H.J. Gross, U. Langohr, H.-P. Werner, H.C. Wolf, D. Schmeisser, K. Graf, W. Göpel, P. Erk, H. Meixner and S. Hünig

Physical properties of ternary TCNQ compound $Me_3S^+(I_3^-)_{1/3}TCNQ^{-2/3}$ B257
M. Izumi, Y. Kajita, T. Iwazumi, T. Sekine, R.M. Lequan and M. Lequan

Preparation and structure of highly conductive anion radical salts, $M(2,5\text{-}R_1,R_2\text{-DCNQI})_2$ (DCNQI=N, N'-dicyanoquinonediimine; R_1, R_2=Me, MeO, halogen; M=Ag, Li, Na, K, NH_4) B263
R. Kato, H. Kobayashi, A. Kobayashi, T. Mori and H. Inokuchi

Physical properties of $(DMET)_2X$ B269
K. Kikuchi, K. Saito, I. Ikemoto, K. Murata, T. Ishiguro and K. Kobayashi

The organic π-electron metal system with interaction through mixed-valence metal cation: electronic and structural properties of highly conducting anion radical salts $(2,5\text{-}R_1, R_2\text{-DCNQI})_2Cu$ (DCNQI=N, N'-dicyanoquinodiimine; R_1, R_2=CH_3O, Cl, Br) B275
A. Kobayashi, T. Mori, H. Inokuchi, R. Kato and H. Kobayashi

Pressure-temperature phase diagram of the organic conductor $(DM\text{-}DCNQI)_2Cu$ B281
S. Tomić, D. Jérôme, A. Aumüller, P. Erk, S. Hünig and J.U. von Schutz

Charge transfer bands in molecular metals and semiconductors composed of peri-condensed Weitz-type donors B289
K. Nakasuji and I. Murata

Pyridine and pyrazine analogues of TCNQ dianion salts B295
F. Ogura, Y. Hama, Y. Aso and T. Otsubo

Structural instabilities in molecular conductors: silver and copper salts of dicyanoquinonediimine, $(DCNQI)_2X$ (X=Ag or Cu) B301
R. Moret

Crystal structures and physico-chemical properties of thiophene-fused TCNQ acceptors and their TTF complexes B309
K. Kobayashi, Y. Mazaki and F. Iwasaki

Fluorescence and vibrational studies of charge-transfer compounds B315
E.I. Kamitsos

Solid-state characterisation of charge-transfer salts of 2,3-dicyanophthoquinone (DCNQ) B321
M.R. Bryce, S.R. Davies, M. Hasan, G.J. Ashwell and M. Szablewski

Magnetic properties and structure of $MDT(TCNQ)_2$ B327
S.D. Obertelli, R.H. Friend, A.J. Moore, M.R. Bryce and P. Bates

Pressure-temperature phase diagram of $(DMDCNQI)_2Ag$: a comparative study with related compounds B333
R.T. Henriques, S. Tomić, W. Kang, D. Jérôme, F. Brisset, P. Batail, P. Erk, S. Hünig and J.U. von Schutz

III. NDMIT Salts

The first molecular superconductor based on the π-acceptor molecule and the closed shell cation, $[(CH_3)_4N][Ni(dmit)_2]_2$ B339
A. Kobayashi, H. Kim, Y. Sasaki, S. Moriyama, Y. Nishio, K. Kajita, W. Sasaki, R. Kato and H. Kobayashi

$(n\text{-}Bu_4N)_x[Pd(dmit)_2]$ (x=0.5 and 0.33): metal-like conductivity vs. stacking of "true" ^{2}dimers with metal-metal bond: comparison with δ-TTF$[Pd(dmit)_2]_2$ B347
J.-P. Legros, L. Valade and P. Cassoux

Search for new molecular ferromagnets: EPR and magnetic studies of charge transfer salts B353
R. Laversanne, A. Chakraborty, D.T. Glatzhofer, A.J. Epstein and J.S. Miller

Structural and electronic properties of a new two-dimensional molecular metal $Et_2Me_2N[Ni(dmit)_2]_2$ B359
R. Kato, H. Kobayashi, H. Kim, A. Kobayashi, Y. Sasaki, T. Mori and H. Inokuchi

Synthesis of organometallic mixed sulfur-selenium π-acceptor molecules .. B365
P.J. Nigrey

IV. DMET Salts

Conducting solids based on some new unsymmetrical tetraheterofulvalenes B373
G.C. Papavassiliou, G.A. Mousdis, S.Y. Yiannopoulos, V.C. Kakoussis and J.S. Zambounis

Low temperature measurements of the electrical conductivities of some charge transfer salts with the asymmetric donors MDT-TTF, EDT-TTF and EDT-DSDTF. $(MDT\text{-}TTF)_2AuI_2$, a new superconductor (Tc=3.5 K at ambient pressure) B379
G.C. Papavassiliou, G.A. Mousdis, J.S. Zambounis, A. Terzis, A. Hountas, B. Hilti, C. Mayer and J. Pfeiffer

EPR studies of organic conductors $(DMET)_2X$ B385
K. Kanoda, T. Takahashi, K. Kikuchi, K. Saito, I. Ikemoto and K. Kobayashi

Crystal structures of $(DMET)_2X$ B391
K. Kikuchi, Y. Ishikawa, K. Saito, I. Ikemoto and K. Kobayashi

Magnetic resonance of organic superconductors: comparison of TMTSF, BEDT-TTF and DMET families B397
T. Takahashi

V. Perylene Salts

Physical properties of the quasi-one-dimensional substituted perylene cation radical salt B405
P. Penven, D. Jérôme, S. Ravy, P.A. Albouy and P. Batail

Crystalline structure/transport properties relationship in the $(perylene)_2M(mnt)_2$ family (M=Au, Pd, Pt, Ni) B411
A. Domingos, R.T. Henriques, V. Gama, M. Almeida, A. Lopes Vieira and L. Alcacer

VI. Other Salts

Anisotropic magnetic properties and magnetic ordering in molecular decamethylferrocenium tetracyanoethanide B417
S. Chittipeddi, M.A. Selover, A.J. Epstein, D.M. O'Hare, J. Manriquez and J.S. Miller

New organic π-donors: analogues of HMTSF and HMTTeF B425
A.B. Bailey, R.D. McCullough, M.D. Mays, D.O. Cowan and K.A. Lerstrup

Optical (NIR), magnetic and conductivity properties of poylacene semiquinones and dianions B431
L.L. Miller and T.H. Jozefiak

New conducting paranitrophenylmalononitrile complexes with TTF and TMTSF B439
K.D. Truong, A.D. Bandrauk, J. Zauhar and M. Aubin

New electron donors related to BEDT-TTF B445
A.M. Kini, B.D. Gates, S.F. Tytko, T.J. Allen, S.B. Kleinjan, H.H. Wang, L.K. Montgomery, M.A. Beno and J.M. Williams

Competitition between spin-Peierls and antiferromagnetic instabilities for cation radical salts of the TTF family: a review of experimental results B449
C. Coulon, P. Vaca, T. Granier and B. Gallois

Structural and physical properties of DMCTTF and DMCTSeF salts B457
P. Vaca, C. Coulon, T. Granier, B. Gallois, L. Ducasse, J.M. Fabre and A.K. Gouasmia

Preparation, structure and physical properties of a series of uncapped $C_6X_4Y_4$ (X, Y = sulfur, selenium, tellurium) compounds B463
N. Iwasawa, H. Urayama, H. Yamochi, G. Saito, K. Imaeda, T. Mori, Y. Maruyama, H. Inokuchi, T. Enoki, Y. Higuchi and N. Yasuoka

Single crystal studies of tetra-*n*-butylammonium(*o*-benzene-diselenolate)$_2$ and related transition metal complexes: possible synthetic metal precursors B469
M.T. Jones, J.H. Roble, M. Singh, T. Maruo and E. Schlemper

Synthesis, crystal structure and physical properties of an organic semiconductor $(BMDT\text{-}TF)I_3$ B475
T. Sugano, S. Sato, M. Konno and M. Kinoshita

Synthesis and properties of BEDSe-TTF B481
P.J. Nigrey, B. Morosin and E. Duesler

An improved synthesis and purification of tetratellurafulvalene (TTeF) .. B487
R.D. McCullough, M.D. Mays, A.B. Bailey and D.O. Cowan

Electrical and magnetic studies on some new organic conductors made with tetratellurafulvalene (TTeF) B493
M.D. Mays, R.D. McCullough, A.B. Bailey, D.O. Cowan, W.A. Bryden, T.O. Poehler and T.J. Kistenmacher

Cooperative phenomena associated with electron- and proton-transfer in charge-transfer crystals B499
T. Mitani and G. Saito

2,3,6,7-tetramethyl and 2,3:6,7-bis(trimethylene) derivatives of 1,4,5,8-tetrachalcogenonaphthalenes: a study on their charge-transfer complexes and radical cation salts B509
T. Otsubo, N. Sukenobe, Y. Aso and F. Ogura

New molecular metals based on metal complexes of sulphur donor ligands B515
R. Clark and A.E. Underhill

Transition metal complexes derived from multisulfur ligands B523
G. Le Coustumer, N. Bennasser and Y. Mollier

The magnetic properties of an organic conducting crystal B529
E. Dormann

Electronic and vibrational absorption spectra of radical cation salts: $(DIMET)_2MF_6$ B537
Ch. Garrigou-Lagrange, E. Dupart, J.P. Morand and P. Delhaès

Structural, electronic and physical properties of $(BCPTTF)_2MF_6$ (M=P,As). Occurrence of a spin Peierls transition (T_{sp} 30K) B543
L. Ducasse, C. Coulon, D. Chasseau, R. Yagbasan, J.M. Fabre and A.K. Gouasmia

Raman studies of the pressure driven neutral to ionic transitions in tetrathiafulvalene-haloquinone mixed stack charge transfer crystals B549
M. Hanfland, K. Reimann, K. Syassen, A. Brillante and A. Girlando

Highly-conjugated bis(1,3-dithiole) donors B557
M.R. Bryce and A.J. Moore

VII. Langmuir-Blodgett Films

Electroactive Langmuir-Blodgett films of hexadecanoyl-TTF B563
A.S. Dhindsa, M.R. Bryce, J.P. Lloyd and M.C. Petty

A novel class of organic conductors based on Langmuir-Blodgett technique: the ethylenedithiodioctadecylthiotetrathiafulvalene-tetrafluorotetracyanoquinodimethane doped with iodine B569
J.P. Morand, R. Lapouyade, P. Delhaès, M. Vandevyver, J. Richard and A. Barraud

Synthesis and physical properties of semicapped C_6S_8 compounds connected with their formation of monolayers and LB films at air-water interface B575
A. Otsuka, G. Saito, T. Nakamura, M. Matsumoto, Y. Kawabata, K. Honda, M. Goto and M. Kurahashi

Excimer laser induced photoablation of charge-transfer thin film materials B581
E.I. Kamitsos, A.C. Cefalas, S. Spyrou and C.A. Nicolaides

Anomalous low-temperature behavior of Langmuir-Blodgett films of $(TMTTF)_3$-$(tetradecylTCNQ)_2$ B587
K. Ikegami, S. Kuroda, K. Saito, M. Saito, M. Sugi, T. Nakamura, M. Matsumoto, Y. Kawabata and G. Saito

Organic quantum wells: electron transport across Langmuir-Blodgett films of conjugated organic molecules B593
F.R. Ahmed, P.E. Burrows, K.J. Donavan and E.G. Wilson

Conductive Langmuir-Blodgett films of transition metals with sulfur containing ligands B601
T. Nakamura, H. Tanaka, M. Matsumoto, H. Tachibana, E. Manda and Y. Kawabata

2D monomolecular inorganic semi-conductors, inserted in a Langmuir-Blodgett matrix B609
C. Zylberajch, A. Ruaudel-Teixier and A. Barraud

VIII. Organic Ferromagnets

Organic ferromagnets. New results B615
A.A. Ovchinnikov and V.N. Spector

Chemical and magnetic characterization of organic ferromagnet - poly-bipo B625

Ferromagnetic intermolecular interaction of organic radical, galvinoxyl B631
K. Awaga, T. Sugano and M. Kinoshita

Synthesis of organic solids with a high spin density as an approach to organic ferromagnets B639
L.Y. Chiang, D.C. Johnston, D.P. Goshorn and A.N. Bloch

Spin density wave in the organic conductor $(TMTSF)_2NO_3$: antiferromagnetic critical effects and non-linear electrical transport B645
S. Tomić, D. Jérôme, J.R. Cooper and K. Bechgaard

Synthesis of bis(oxydimethylene)tetrathiafulvalene (BODM-TTF) and BEDSe-TTF B651
S.-Y. Hsu and L. Y. Chiang

Author Index B657

Subject Index B661